

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 924 927 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
23.06.1999 Bulletin 1999/25

(51) Int. Cl.⁶: H04N 7/00

(21) Application number: 98123455.2

(22) Date of filing: 11.12.1998

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 19.12.1997 JP 36434697

(71) Applicant:
MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.
Kadoma-shi, Osaka-fu, 571 (JP)

(72) Inventors:
• Arai, Yuko
Tokyo 144-0034 (JP)


• Nagao, Takeshi
Kawaguchi-shi, Saitama-ken 332-0012 (JP)
• Fujita, Kenichi
Kawasaki 210-0085 (JP)
• Suzuki, Takayuki
Tokyo 168-0062 (JP)

(74) Representative:
Pellkofer, Dieter Dr. et al
Manitz, Finsterwald & Partner GbR,
Patent- und Rechtsanwälte,
Robert-Koch-Strasse 1
80538 München (DE)

(54) **Method and apparatus for producing program information and receiving apparatus for processing the program information**

(57) A program information storing section (2) stores program information including program name, program start time, and channel discriminating information. A program information search section (4) searches the program information stored in the program information storing section (2) according to designated search conditions and produces personalized program information resulting from the search. A program guide display section (6) displays a program guide including a personal channel consisting of the resultant program information. Thus, the receiving apparatus (100) allows users to display their personal channels.

FIG. 1



EP 0 924 927 A2

Description

BACKGROUND OF THE INVENTION

[0001] The present invention relates to a broadcast system for broadcasting program information multiplexed with audio and video data, and more particularly to the program information producing apparatus and method for producing program information to be broadcasted, and a related receiving apparatus for displaying a program guide based on the received program information.

[0002] Unexamined Japanese Patent Application No. Kokai 7-160732 discloses a program guide display technique, wherein predetermined search or retrieval conditions are given to display a rearranged program information in accordance with the agreement between the program information and the given search or retrieval conditions. However, this program guide display technique has no function for displaying the searched or retrieved programs as a channel and has no advanced navigation function. Unexamined Japanese Patent Application No. Kokai 8-340310 discloses an advertisement data display technique, wherein the advertisement is displayed in a limited time slot designated by display start and end times included in the advertisement data. However, this advertisement data display technique does not consider the coexistence of the program guide and the advertisement data. Unexamined Japanese Patent Application No. Kokai 9-46648 discloses a CM recording technique, wherein the time codes multiplexed with CM data are used to remove unnecessary portions in the program recording.

SUMMARY OF THE INVENTION

[0003] An object of the present invention is to provide a receiving apparatus capable of displaying a personalized channel collecting user's preferable or receiver's own program information in addition to common channels.

[0004] Another object of the present invention is to provide a broadcast system capable of establishing cooperative coexistence in the relationship between the program guide display and the CM or program broadcasting, or sponsor information.

[0005] Another object of the present invention is to provide a broadcast system capable of setting a variety of fees corresponding to program ranks and providing fine services in accordance with the fees.

[0006] Another object of the present invention is to provide a broadcast system allowing users or receivers to smoothly select a next program after finishing a present program.

[0007] Another object of the present invention is to provide a broadcast system capable of controlling the display of program guides (including the control of display start time and display position) or performing the

promotion using other channels, thereby providing an advanced scheme for reserving or tuning the programs.

[0008] Another object of the present invention is to provide a broadcast system capable of linking program information between different networks when the same program is broadcasted through digital and analog channels in the simulcast services.

[0009] To accomplish the above and other related objects, the present invention provides a program information producing system for producing and transmitting improved program information as well as an advanced receiving system for processing the program information. The present invention realizes support for user's selection of programs, establishes the coexistence between the program guide display and the CM/program broadcasting, allows the sponsors to provide fine services according to recording/viewing fees, gives a flexible scheme for reserving and tuning the programs, and correlates the program guides between different networks. The present invention discloses the detailed arrangement of the apparatus and method for realizing the above system.

[0010] One aspect of the present invention provides a receiving apparatus comprising a program information storing section for storing program information including program name, program start time and channel discriminating information, a program information search section for searching the program information stored in the program information storing section according to designated search conditions and for producing personalized program information resulting from the search, and a program guide display section for displaying a program guide including a personal channel including the personalized program information. With this arrangement, it becomes possible to display a user's personal channel.

[0011] Another aspect of the present invention provides a program information producing apparatus comprising a program related information producing section for producing program related information, and means for producing both program information and the program related information or producing program information including the program related information.

[0012] Another aspect of the present invention provides a receiving apparatus comprising an advertisement information storing section for storing advertisement information, and a display section for outputting an advertisement stream to a limited space on a screen when a program guide is displayed on the screen, the advertisement stream being referred to by the advertisement information.

[0013] Furthermore, another aspect of the present invention provides a program information producing apparatus comprising a program information producing section for producing ordinary program information, and a sub program information producing section for producing sub program information including sub program identification data and sub program position data. With

this arrangement, it becomes possible to provide a program guide including the sub program on a screen of the receiving apparatus.

[0014] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a sub program search section for accessing sub programs to search a relevant sub program with reference to sub program reference information of a viewed broadcasted program, and a program guide display section for displaying the relevant sub program by using a limited space of a screen when a program guide is displayed on the screen.

[0015] Furthermore, another aspect of the present invention provides a program information producing apparatus comprising a charge information producing section for adding program recording fees to program information, the program recording fees including a plurality of ranks classified in accordance with a recording or viewing type of a sub program. With this arrangement, it becomes possible to set a variety of charge ranks according to the recording or viewing type of the sub program (e.g., CM and preview).

[0016] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a program recording section for recording a sub program together with an ordinary program when a recording request includes both of the ordinary and sub programs and for recording only the ordinary program by skipping the sub program when the recording request includes only the ordinary program, and a charging section for differentiating a recording fee in accordance with the inclusion of the sub program in the recording of the ordinary program.

[0017] Furthermore, another aspect of the present invention provides a program information producing apparatus comprising a program information producing section for producing ordinary program information, and a sub program playback frequency information producing section for producing program information describing a mandatory playback frequency of a recorded ordinary program performed without skipping a sub program.

[0018] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a program recording section for recording an ordinary program and a sub program separately, a playback order table producing section for producing an ordinary/sub program playback order table describing a playback order of the ordinary program and the sub program, and a program playback section for reproducing the ordinary program and the sub program in accordance with the ordinary/sub program playback order table.

[0019] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a sub program position table producing section for producing a sub program position table describing the position of a sub program in an ordinary program, a program

playback section for reproducing both the ordinary program and the sub program when a playback request includes both of the ordinary and sub programs and for reproducing only the ordinary program by skipping the sub program with reference to the sub program position table when the playback request includes only the ordinary program.

[0020] Furthermore, another aspect of the present invention provides a program information producing apparatus comprising a next program information producing section for producing program information of a next program to be tuned in to during or after the broadcasting of a program. With this arrangement, it becomes possible to allow each user to select a favorite next program or realize an automatic tuning operation by the receiving apparatus.

[0021] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a tuning switch section for tuning in to a next program in accordance with next program information during or after the broadcasting of a program.

[0022] Furthermore, another aspect of the present invention provides a receiving apparatus characterized in that a program guide, or content of the program guide, or a display method of the program guide is differentiated in accordance with a presently broadcasted program.

[0023] Furthermore, another aspect of the present invention provides a program information producing apparatus comprising a relevant information producing section for producing program information related data as one component constituting a program, the program information related data being used for display and control of the program information, thereby transmitting the program information in connection with the content of the program. With this arrangement, it becomes possible for the receiving apparatus to reserve or tune a program based on the program information related data.

[0024] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a receiving section for receiving program information related data including a list of channels to be displayed, and a program guide display section for displaying a program guide including designated channels.

[0025] Furthermore, another aspect of the present invention provides a program information producing apparatus comprising a program information producing section for producing ordinary program information, and a link information producing section for producing program link information or channel link information indicating that a subjective program or channel is identical in content with a program or channel described in the program information of a channel group transmitted by using a different method. With this arrangement, it becomes possible to allow each user to check the difference between the linked channels in their program contents, fees and qualities when the same program is broadcasted in both analog and digital channels.

[0026] Furthermore, another aspect of the present invention provides a receiving apparatus comprising a receiving section for receiving a subjective program or channel with program information including program link information or channel link information, and a program guide display section for displaying a program guide including the content of another program or channel having identical program link information or channel link information as that of the subjective program or channel.

BRIEF DESCRIPTION OF THE DRAWINGS

[0027] The above and other objects, features and advantages of the present invention will become more apparent from the following detailed description which is to be read in conjunction with the accompanying drawings, in which:

Fig. 1 is a schematic block diagram showing the arrangement of a receiving apparatus in accordance with a first embodiment of the present invention;

Fig. 2 is a flowchart showing the algorithm of program search processing and program information producing processing performed based on the search result in accordance with the first embodiment of the present invention;

Fig. 3 is a view showing personalized program information resulting from the search conducted under a given search condition in accordance with the first embodiment of the present invention;

Fig. 4 is a program guide displayed by a program guide display section in accordance with the first embodiment of the present invention;

Fig. 5 is a view showing program information of my channels 1 and 2 resulting from the search in accordance with the first embodiment of the present invention;

Fig. 6 is another program guide displayed by the program guide display section in accordance with the first embodiment of the present invention;

Fig. 7 is a flowchart showing the algorithm of program search processing and program information producing processing performed based on the search result in accordance with a second embodiment of the present invention;

Fig. 8 is a program guide resultant from a re-conducted search which is performed so as to include a viewer's designating program in accordance with the second embodiment of the present invention;

Fig. 9 is a screen display showing a program guide distinctively exhibiting selected programs in accordance with the second embodiment of the present invention;

Fig. 10 is a screen display showing a program guide displaying program names together with charging fees in accordance with the first embodiment of the

present invention;

Fig. 11 is a screen display showing selectable time shift programs in accordance with a third embodiment of the present invention;

Fig. 12 is a screen display showing a program guide including the selected time shift program in accordance with the third embodiment of the present invention;

Fig. 13 is a screen display showing another program guide including the selected time shift program in accordance with the third embodiment of the present invention;

Fig. 14 is a table showing program information obtained through scheduling in accordance with the third embodiment of the present invention;

Fig. 15 is a table showing program information used in a fourth embodiment of the present invention;

Fig. 16 is a screen display showing decoded video and text data used in the fourth embodiment of the present invention;

Fig. 17 is a screen display showing a program guide with displayed CM information used in the fourth embodiment of the present invention;

Fig. 18 is a screen display showing another program guide with displayed CM information used in the fourth embodiment of the present invention;

Fig. 19 is a screen display showing a downsized ordinary program guide displayed together with a program guide in accordance with a fifth embodiment of the present invention;

Fig. 20 is a table showing event information serving as one of the program information in accordance with a sixth embodiment of the present invention;

Fig. 21 is a view showing a relationship between a program and sub programs

Fig. 22 is a screen display showing a program guide displaying program names together with sponsor names used in the sixth embodiment of the present invention;

Fig. 23 is a table showing another event information serving as one of the program information used in a seventh embodiment of the present invention;

Fig. 24 is a table showing CM information used in the seventh embodiment of the present invention;

Fig. 25 is a table showing a CM recording management table used in the seventh embodiment of the present invention;

Fig. 26 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the fourth embodiment of the present invention;

Fig. 27 is a block diagram showing the arrangement of a receiving apparatus in accordance with the fourth embodiment of the present invention;

Fig. 28 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the sixth embodiment of the present invention;

Fig. 29 is a block diagram showing the arrangement of a receiving apparatus in accordance with the sixth embodiment of the present invention

Fig. 30 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the seventh embodiment of the present invention; 5

Fig. 31 is a block diagram showing the arrangement of a receiving apparatus in accordance with the seventh embodiment of the present invention; 10

Fig. 32 is a table showing another event information serving as one of the program information used in an eighth embodiment of the present invention;

Fig. 33 is a table showing CM positional information used in the eighth embodiment of the present invention; 15

Fig. 34 is a screen display showing a reservation list used for recording programs in accordance with the eighth embodiment of the present invention;

Fig. 35 is a screen display used for requiring selection of the CM recording type used in the eighth embodiment of the present invention; 20

Fig. 36 is a table showing program information used in a ninth embodiment of the present invention;

Fig. 37 is a table used for managing the program recording used in the ninth embodiment of the present invention; 25

Fig. 38 is a table used for managing the CM recording used in the ninth embodiment of the present invention; 30

Fig. 39 is a table indicating playback order of programs and CMs used in the ninth embodiment of the present invention;

Fig. 40 is a table describing CM playback frequency used in the ninth embodiment of the present invention; 35

Fig. 41 is a table describing CM positional information used in a tenth embodiment of the present invention;

Fig. 42 is a table used for managing the recorded programs and CMs used in the tenth embodiment of the present invention; 40

Fig. 43 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the eighth embodiment of the present invention; 45

Fig. 44 is a block diagram showing the arrangement of a receiving apparatus in accordance with the eighth embodiment of the present invention;

Fig. 45 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the ninth embodiment of the present invention; 50

Fig. 46 is a block diagram showing the arrangement of a receiving apparatus in accordance with the ninth embodiment of the present invention; 55

Fig. 47 is a block diagram showing the arrangement of a receiving apparatus in accordance with the

tenth embodiment of the present invention;

Fig. 48 is a screen view used for deciding the viewing of the next program in accordance with an eleventh embodiment of the present invention;

Fig. 49 is a table showing next program information used in the eleventh embodiment of the present invention;

Fig. 50 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the eleventh embodiment of the present invention;

Fig. 51 is a block diagram showing the arrangement of a receiving apparatus in accordance with the eleventh embodiment of the present invention;

Fig. 52 is a block diagram showing the arrangement of a program information producing apparatus in accordance with a twelfth embodiment of the present invention;

Fig. 53 is a block diagram showing the arrangement of a receiving apparatus in accordance with the twelfth embodiment of the present invention;

Fig. 54 is a table showing a first example of a component arrangement used in a thirteenth embodiment of the present invention;

Fig. 55 is a table showing a first example of program information related data used in the thirteenth embodiment of the present invention;

Fig. 56 is a table showing a second example of the component arrangement used in a fourteenth embodiment of the present invention;

Fig. 57 is a table showing a second example of the program information related data used in the fourteenth embodiment of the present invention;

Fig. 58 is a table showing a third example of the component arrangement used in a fifteenth embodiment of the present invention;

Fig. 59 is a table showing a third example of the program information related data used in the fifteenth embodiment of the present invention;

Fig. 60 is a table showing network information, serving as part of common program information, used in the twelfth embodiment of the present invention;

Fig. 61 is a table showing a correlation between a broadcaster and channels, serving as part of the common program information, used in the twelfth embodiment of the present invention;

Fig. 62 is a table showing a program broadcast schedule of each channel, serving as part of uncommon program information, used in the twelfth embodiment of the present invention;

Fig. 63 is tables showing channel information, serving as part of the uncommon program information, used in the twelfth embodiment of the present invention;

Fig. 64 is a view showing service transmitting condition of each TS (transport stream) transmitted from "A" and "B" stations in accordance with the

twelfth embodiment of the present invention;

Fig. 65 is a table showing digital BS program information used in a sixteenth embodiment of the present invention;

Fig. 66 is a table showing analog BS program information used in the sixteenth embodiment of the present invention;

Fig. 67 is a screen view showing an analog BS program guide in accordance with the sixteenth embodiment of the present invention;

Fig. 68 is a screen view showing a program of an analog BS channel with a message notifying that the same program is serving in a digital BS channel in accordance with the sixteenth embodiment of the present invention;

Fig. 69 is a table showing channel link information used in the sixteenth embodiment of the present invention;

Fig. 70 is a block diagram showing the arrangement of a program information producing apparatus in accordance with the sixteenth embodiment of the present invention;

Fig. 71 is a block diagram showing the arrangement of a receiving apparatus in accordance with the sixteenth embodiment of the present invention;

Fig. 72 is a screen view showing both of analog and digital BS program guides in accordance with the sixteenth embodiment of the present invention; and

Fig. 73 is a block diagram showing a fundamental arrangement of a digital broadcast system.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0028] Preferable embodiments of the present invention will be explained in more detail with reference to the attached drawings.

Digital Broadcast System

[0029] For broadcasting audio and video data, the digital satellite broadcasting services rely on a MPEG2 technique which broadcasts a transport stream (TS) including a plurality of multiplexed packets of audio and video data. Besides the audio and video packets, the transport stream (TS) includes program information (i.e., program information required for multiplexing the audio and video information formatted according to MPEG2 and DVB). The program information is described in the form of a section-type table.

[0030] Fig. 73 shows a digital broadcast system including a broadcast center system 1000. In Fig. 73, the broadcast center system 1000 comprises an audio/video stream producing system 1001, a program information producing apparatus 500, and an encipher key management and producing system 1003 which is separately connected to a TS multiplexer 1004. An uplink system 1005 transmits a produced TS signal in

the form of radio wave to a satellite 1006.

[0031] An audio/video and program information organizing system 1002 produces and stores program schedule information. The program information producing apparatus 500 receives the program schedule information from the audio/image and program information organizing system 1002, and produces program information (including program information used for multiplexing audio and video information and additional program information used for producing a program guide).

[0032] The audio and video data is sent from the audio/video stream producing system 1001 to the TS multiplexer 1004 in accordance with the program schedule information stored in the audio/video and program information organizing system 1002. The produced program information is multiplexed with the audio and video data in the TS multiplexer 1004. The multiplexed signal is sent to the uplink system 1005 and received via the satellite 1006 by each home receiving apparatus 100 associated with a TV monitor 10.

[0033] When the receiving apparatus 100 receives a PPV (pay per view) program, charge information is sent via a public network 1007 to a charge information collecting system 1008 of the broadcast center system 1000. The encipher key management and producing system 1003 allows the viewing of the requested PPV program upon confirming the procedure in the charge information collecting system 1008.

[0034] Hereinafter, preferable embodiments of the present invention will be explained with reference to attached drawings.

First Embodiment

[0035] A first embodiment of the present invention provides a system capable of searching programs according to user's preference, and producing and displaying a "my channel" consisting of programs fulfilling the search conditions (e.g., fee) given from the user.

[0036] Fig. 1 shows a receiving apparatus 100 including a receiving section 1 which receives program information shown in the upper part of Fig. 3. The received program information is sent to a program information storing section 2. A search condition input section 3 gives a search condition, such as "a program fee is not higher than 100 yen." A program information processing section 5 receives the program information from the program information storing section 2. A program information search section 4 searches the program information in the program information processing section 5 and selects programs fulfilling the search condition given from the search condition input section 3. Thus, as a result of the performed search, the program information search section 4 produces personalized program information comprising the selected programs fulfilling the given search condition.

[0037] Fig. 2 shows the algorithm of the program

search processing and the program information producing processing performed based on the search result in accordance with the first embodiment. More specifically, all programs described in the program information are sorted by order of start time (in step S101). Then, it is checked whether the sorted program is present or not (in step S102). When no sorted program is present (NO), this routine ends. When any sorted program is present (YES), it is then checked whether the given search condition is fulfilled or not (in step S104). When the search condition is not fulfilled (NO), the processing of the next program is started (in step S103) and the processing of the step S102 is performed again. When the search condition is fulfilled (YES), the information of the sorted program is added to a program list of the searched program information (in step S105). Then, the processing of the next program is started (in steps S103 and S102) as described above. When no sorted program remains, this routine ends.

[0038] Through the above-described program search processing, the program information search section 4 produces the program information comprising the programs fulfilling the given search condition, as shown in the lower part of Fig. 3. Fig. 4 is a program guide displayed through a program guide display section 6. For example, a "my channel" shown in Fig. 4 comprises a program ① (having a program number 101 selected from the service channel "Nihon Maru" shown in the upper part of Fig. 3), a program ⑤ (having a program number 202 selected from the service channel "Fuji Sun"), and other programs starting after 15:00 which are selected in the same manner from the received service channels. The "my channel", including the personalized program information resulting from the search processing, is displayed in the lower part of Fig. 3. In other words, the "my channel" is a user's personal channel not described in the program information received by the receiving section 1. The obtained "my channel" constitutes one channel of the program guide shown in Fig. 4.

[0039] When the viewer selects the "my channel" from the program guide, a tuning switch section 33 tunes in to a presently broadcasted program of the "my channel." A program display section 8 displays the program. For example, it is assumed that the "my channel" is selected at 13:00. According to the program guide shown in Fig. 4, the tuning switch section 33 immediately tunes in to the program ① of the service channel "Nihon Maru", and subsequently at 14:00 tunes in to program ⑤ of the service channel "Fuji Sun."

[0040] In the algorithm of the program information search, the search is performed only for the programs whose start times are equal to or later than the end time of the program added to the list of the searched program information. For example, when a program ending at 14:00 is added to the list of the searched program information, no search is performed for all of programs having start times earlier than 14:00 and the search is

performed for the programs having start times equal to or later than 14:00.

[0041] Furthermore, when the program information shown in the upper part of Fig. 5 is received, a search condition "a program fee is not higher than 150 yen" may be entered. In this case, the program information shown in the lower part of Fig. 5 is produced as personalized program information resulting from the search. The resultant program information is displayed through the program guide display section 6, as shown in Fig. 6. In this case, the program guide displays two channels of "my channel 1" and "my channel 2" because a total of two programs are scheduled in the same time slot from 15:00 to 16:00. The "my channel 1" includes a program ⑩ of the service channel "Asahi", while the "my channel 2" includes a program ⑥ of the service channel "Fuji Sun."

[0042] According to the tables shown in Figs. 4 and 6, the user's personal "my channel" is an independent channel. However, as shown in Fig. 9, it is possible to display the "my channel" consisting of the selected programs using colors or fonts discriminable from non-selected programs.

[0043] Furthermore, the above-described search condition relates to the program fee. It is however possible to use a search condition relating to other factor, such as program genre, viewer's residence, sex, age or the like. It is also possible to use other search conditions occasionally entered from the viewer or adequately judged from viewing history.

[0044] It is also preferable to use a program guide shown in Fig. 10, according to which the fee for each PPV program is displayed and a total fee (i.e., a sum amount of charging fees) is displayed separately. Regarding the display for the total fee, it will be possible to use various graphic techniques, such as a bar graph or a color display.

[0045] As apparent from the foregoing description, the first embodiment of the present invention makes it possible to display a program guide including a personal channel consisting of the programs selected according to the search condition given from the viewer. This arrangement is helpful for the viewers in selecting favorable programs from numerous programs receivable by his/her receiving apparatus. Furthermore, as an independent channel is assigned to the searched programs, the viewers can continuously watch the favorable programs without changing the channel. Providing the display of program fees is effective to facilitate the program selection. Thus, the first embodiment of the present invention improves the conspicuousness of the program guide.

Second Embodiment

[0046] A second embodiment differs from the first embodiment in that, when the viewer selects any program not included in the list of the searched programs,

the search is performed again so as to include the designated program.

[0047] It is assumed that, when the program guide of Fig. 4 is displayed, the viewer manipulates a remote controller 9 to change the "my channel" so as to include a program 11 of the service channel "Asahi." in response to this request, the program information search section 4 performs the search according to the algorithm shown in Fig. 7. More specifically, all programs described in the program information are sorted by order of start time (in step S111). Then, it is checked whether the sorted program is present or not (in step S112). When no sorted program is present (NO), this routine ends. When any sorted program is present (YES), it is then checked whether the sorted program is the designated program or not (in step S114). When the sorted program is the designated program (YES), the information of the sorted program is added to a program list of the searched program information (in step S117). Then, the processing of the next program is started (in steps S113). Then, the processing of the step S112 is performed again. When the sorted program is not the designated program (YES), it is then checked whether the sorted program and the designated program are in the same time slot or not (in step S115). When the sorted program and the designated program are overlapped (YES), the flow of this control routine proceeds to the step S113 and then returns to the step S112. When the sorted program and the designated program are not overlapped (NO), it is then checked whether the given search condition is fulfilled or not (in step S116). When the search condition is not fulfilled (NO), the processing of the next program is started (in step S113) and the processing of the step S112 is performed again. When the search condition is fulfilled (YES), the information of the sorted program is added to the program list of the searched program information (in step S117). Then, the processing of the next program is started (in steps S113 and S112) as described above. When no sorted program remains, this routine ends.

[0048] As a result, the program guide display section 6 displays a program guide shown in Fig. 8 which differs from the program guide shown in Fig. 4 in that the "my channel" includes the program 11 of the service channel "Asahi" in the time slot from 16:00 to 17:00. In other words, the program ⑦ is replaced by the program 11.

[0049] As apparent from the foregoing description, the second embodiment of the present invention allows the viewer to modify the program guide through a manual operation when the program guide does not include any favorable program. Thus, it becomes possible to reschedule the personal channel.

Third Embodiment

[0050] A third embodiment of the present invention provides a system which is responsive to viewer's selection of a time shift program and performs the scheduling

so as to mandatorily include the designated time shift program. When there are a plurality of patterns, display of these patterns is performed by order of fee.

[0051] The "time shift program" is generally referred to as a program repetitively broadcasted in different time slots. According to the third embodiment, the viewer selects a favorite program from a time shift program list shown in Fig. 11. In this case, each time shift program has a fee variable according to the broadcasting time. For example, the viewer may select a program "guide to C++" as a favorite time shift program. When the viewer selects a "start scheduling" key displayed on the screen, the program information search section 4 shown in Fig. 1 performs the scheduling and produces the searched program information (Fig. 14). The program guide display section 6 displays a program guide shown in Fig. 12, highlighting the search programs corresponding to the search ID=1 shown in Fig. 14. The total fee for the selected programs is 800 yen. When the viewer selects a "next route" key displayed on the screen, the program guide display section 6 displays another program guide shown in Fig. 13, highlighting the search programs corresponding to the search ID=2 shown in Fig. 14. Both of the program guides shown in Figs. 12 and 13 include the program "guide to C++", but the latter is more expensive in the fee than the former. When there are three or more candidates, the similar operation is repeated. Thus, the viewer can make a reservation of viewing or recording by checking the contents of the plurality of routes.

[0052] It is possible to select a plurality of programs, although only one program is selected in Fig. 11. In this case, the program information search section 4 shown in Fig. 1 performs the scheduling so as to include all of the designated programs. If it is impossible to include all of the designated programs, a message display informs the viewer of failure of the scheduling. The message may include a statement that the scheduling is feasible upon reducing the number of programs.

[0053] Although the above-described embodiments disclose the receiving apparatus having the receiving section for receiving the program information, it is possible to use other media, such as FD and DVD, for storing and transmitting the program information, or it may be possible to use a terminal having the capability of storing the same.

[0054] In the explanation of the above-described embodiments, operation of the broadcast center is omitted. However, it should be understood that the program information is produced from the program schedule information sent from the audio/video and program information organizing system 1002 shown in Fig. 73. If the audio/video and program information organizing system is not provided, it will be possible to produce the program information from the program schedule information in the program information producing apparatus.

[0055] In the display of both program guides shown in Figs. 12 and 13, the selected programs are highlighted

by changing the color. However, it is possible to provide an independent channel in the same manner as that of the first and second embodiments.

[0056] As described in the foregoing description, the third embodiment of the present invention allows the viewers to select a preferable program schedule among a plurality of routes considering the charging fee or viewer's personal schedule, for example, when the viewer has preferable programs in mind but has not yet fixed the schedule. Thus, it becomes possible to reduce the burden of the viewers in the selection of programs.

Fourth Embodiment

[0057] Fig. 26 is a block diagram schematically showing the arrangement of a program information producing apparatus 500 in accordance with a fourth embodiment of the present invention. The program information producing apparatus 500 comprises an advertisement information producing section 53 which produces a packet ID (PID) of each elementary stream (ES) of advertisement audio and video data to be involved in the program. Fig. 15 shows the program information including the packet IDs of the advertisement elementary streams. In other words, an advertisement stream data base 54 sends out the audio and video data of the advertisement stream in the form of PID described in the program information.

[0058] A receiving apparatus 100 shown in Fig. 27 refers to the program information and does not decode advertisement streams even when the selected channel agrees with viewer's preference. More specifically, the program display section 8 decodes only the audio and video data of ordinary programs other than the advertisement streams, and displays the decoded video with sounds through a TV monitor 10. Fig. 16 shows the screen of TV monitor 10 only displaying the elementary streams of packet IDs 122 and 455 in accordance with the program information shown in Fig. 15. However, decoding the audio and video data of the advertisement streams of packet IDs 200 and 788 is feasible in response to the request of the viewer. Fig. 17 shows a program guide with a portion "A" displaying the advertisement data. Besides the audio and video data, it is possible to provide an advertisement stream of text data (as indicated by packet ID 199 in Fig. 15). It is possible to provide a "CM information" key displayed as part of the program guide so as to allow the viewer to display sponsor's statement "C" on the screen. Other data preferably broadcasted in the form of the advertisement stream are still video, sponsor's logo, URL of Internet home page, and sponsor name. In this case, it is possible to provide button keys on the displayed program guide so as to allow the viewer to selectively display the necessary information according to viewer's preference.

[0059] Although this embodiment discloses the program information producing apparatus describing the advertisement streams discriminable in the program

information, it is possible to describe the type of the elementary stream in event information.

[0060] It is also preferable that the program information producing apparatus defines numerous advertisement streams, e.g., a plurality of streams for each of audio and video data, and the program display section 8 selects a preferable stream according to the viewer's residence, age and program type (data broadcast, HDTV, SDTV etc.) in the receiving apparatus 100 shown in Fig. 27.

[0061] It is preferable that the advertisement stream storing section 62 stores the advertisement streams received by the receiving section 1. It is also preferable to use other media, such as FD and DVD, to store and transmit the advertisement data. It is also preferable that a predetermined number of advertisement streams are prepared beforehand in the receiving apparatus.

[0062] With the above-described arrangement, it becomes possible to display the sponsor's statement or CM together with the program guide on the screen of the TV monitor 10. If the viewer requests the display of program guide during the broadcasting of CM, the displayed program guide will overlap with the CM at least in part. This embodiment eliminates such sponsor's worries. This is advantageous for the broadcasters when sponsor fees are chief income.

Fifth Embodiment

[0063] According to a fifth embodiment of the present invention, the receiving apparatus 100 has the program guide display section 6 and the program display section 8 cooperatively capable of reducing the size of the program video in response to a viewer's request and displaying the program guide in a newly given space on the screen.

[0064] This embodiment allows the viewer to watch the program guide without interrupting the viewing of the program. In other words, displaying the program guide does not substantially reduce the viewer's chance of watching advertisements. This is preferable for the broadcasters and sponsors because their advertisement activities are not disturbed by the viewer's selection of the program guide.

Sixth Embodiment

[0065] Fig. 28 is a block diagram showing the arrangement of a program information producing apparatus 500 in accordance with a sixth embodiment of the present invention. The program information producing apparatus 500 comprises an advertisement information producing section 53 which produces the program information including advertisement information, such as sponsor ID and sponsor name, as shown in Fig. 20. Fig. 29 is a block diagram showing the arrangement of a receiving apparatus 100. A program information storing section 2 sends only advertisement information to an

advertisement information storing section 13. Fig. 22 shows a program guide including both of program names and sponsor names, displayed on the screen of a TV monitor 10. For example, a sponsor name "Umes-hita Electric" and a program name "Alarm clock TVI" are displayed in the same program frame of the channel 30.

[0066] Although only one sponsor name is displayed for each program, it is possible to display a plurality of sponsor names for each program. The sponsor information may include sponsor residence, telephone number, URL of Internet home address, sponsor logo data.

[0067] Although the sponsor name and related program name are paired in the same frame of the program guide shown in Fig. 22, it is possible to display video or text data in a predetermined region of the program guide so as to correspond to a related program. Furthermore, it is possible to display animated program.

[0068] The sponsor information may include a service type. It is possible to display the service type together with the program name in the same program frame.

[0069] As described above, the sixth embodiment of the present invention makes it possible to provide the program guide capable of displaying a sponsor name paired with a program name. This is preferable in that displayed program guide does not substantially reduce the viewer's chance of watching sponsor name or sponsor information.

Seventh Embodiment

[0070] Fig. 21 shows sub programs, such as commercial (CM) and program preview, constituting dissected portions of a program. In the following explanation, a sub program of commercial (CM) will be explained.

[0071] Fig. 30 is a block diagram showing the arrangement of a program information producing apparatus 500 including a program information producing section 50 producing program information and a CM information producing section 55 producing CM information. Fig. 23 shows an example (i.e., event information) of the program information describing program names and broadcast times as well as CM reference information (i.e., CM_ID) involved in the CM information, produced by the program information producing apparatus 500 of the seventh embodiment. Fig. 24 shows an example of the CM information describing CM discriminating information (CM_ID) and CM positional information (broadcast time etc.).

[0072] Fig. 31 is a block diagram showing the arrangement of a receiving apparatus 100 including a receiving section 1 receiving the CM and related CM information and a CM information storing section 16 storing the received CM information. A CM recording managing section 15 uses a CM recording management table (refer to Fig. 25) to manage the CM and the related CM information and further to record (store) the CM. File IDs included in the CM recording management table (Fig. 25) are dependent on a filing system of the storing

apparatus in the receiving apparatus 100. Each stored CM is reproducible in response to entry of the corresponding file ID.

[0073] When the viewer requests tuning in to a program, the receiving apparatus 100 decodes the audio and video data of the designated program in accordance with the program information. The decoded video is displayable with sounds through a TV monitor 10. It is assumed that the viewer requests the display of program guide when the TV monitor displays the program. In this case:

① A CM search section 17 obtains the CM reference information (CM_ID) of the presently display program from the program information stored in the program information storing section 2. For example, according to the program information shown in Fig. 23, the obtained CM_ID is 135 when the program "Alarm clock TVI" is displayed.

② The CM search section 17 accesses the CM recording management table managed by the CM recording managing section 15 to search or retrieve a CM having the same CM_ID. According to the CM recording management table shown in Fig. 25, the obtained information as a result of the search is a CM named "Goodby" having the CM_ID=135 and file ID=567.

③ The program guide display section 6 provides a space for displaying the CM searched through the procedure ② on the same screen as the program guide (refer to "A" in Fig. 17). Sounds may be produced together with the video of the CM. The display pattern shown in Fig. 17 can be replaced by another display pattern shown in Fig. 18 which provides a "CM information" button displayable at a predetermined position on the screen of the program guide. The "CM information" button allows the viewer to get sponsor statement.

[0074] Although Fig. 24 shows the table of CM information, it is possible to use a code indicating that the CM is presently broadcasted. This code, constituting part of the audio and video data of the CM, can be broadcasted together with CM_ID (for example, by describing it in a user data region according to the standard of MPEG). It is preferable that the receiving apparatus receives such a code and performs the recording and management of the CM according to the received code. Although the CM reference information is used to refer to the CM included in the program, the CM reference information may include another CM not related to this program.

[0075] Although a program refers to only one CM in the above-described example, it is needless to say that the number of CMs for a program is not limited to only one.

[0076] Although the above-described example shows a program referring to a sub program, it is preferable

that a program refers to other program. In other words, each CM can be defined as an independent program rather than part of a program. In this case, the program information includes both of programs and CMs described in the same manner but discriminable by their ID information.

[0077] According to the above-described fourth to seventh embodiments, the advertisement information or CM information are independent from or part of the program information. It is possible to transmit them separately, or as part of program information, from the program information producing apparatus. The receiving apparatus can operate appropriately in both cases. More specifically, when the receiving section receives the advertisement (or CM) information separately, the advertisement (or CM) information is directly sent to the advertisement (or CM) information storing section. When the receiving section receives the advertisement (or CM) information as part of the program information, the program information is once stored in the program information storing section. Then, the advertisement (or CM) information is sent from the program information storing section to the advertisement (or CM) information storing section.

[0078] Although the above-described examples disclose the advertisement (or CM) information, it is needless to say that the receiving apparatus can handle any other information relating to a program.

[0079] According to the above-described fourth to seventh embodiments, the receiving section of the receiving apparatus receives the program information, CM information and CM. However, it is possible to use other appropriate media, such as FD and DVD, for storing or transmitting the program information and others, or it may be possible to use a terminal having the capability of storing the same.

[0080] In the explanation of the above-described fourth to seventh embodiments, operation of the broadcast center is omitted. However, it should be understood that the program information is produced from the program schedule information sent from the audio/video and program information organizing system 1002 shown in Fig. 73. If the audio/video and program information organizing system is not provided, it will be possible to produce the program information from the program schedule information in the program information producing apparatus.

[0081] As apparent from the foregoing description, the seventh embodiment of the present invention substantially expands the applicability of CM by simply adding the CM information to the CM broadcasting system. The stored CM information is reusable when the program guide is displayed, increasing the chance of CM reproduction. This is basically acceptable for the sponsors. Thus, coexistence of the program guide and CM is appropriately realized.

Eighth Embodiment

[0082] An eight embodiment is explained based on a system handling a sub program of commercial (CM) in the same manner as in the seventh embodiment. Fig. 43 is a block diagram showing the arrangement of a program information producing apparatus 500 in accordance with the eighth embodiment of the present invention. The program information producing apparatus 500 comprises a program information producing section 50 producing program information, a CM positional information producing section 57 producing CM positional information, and a transmitting section 52 transmitting both of the program information and the CM positional information produced from the program information producing section 50 and the CM positional information producing section 57. Fig. 32 shows an event information table including program name, broadcast time, recording fee (with or without CM skip), playback fee with CM fast forwarding and other fees for each program. A charge information producing section 56 produces the information relating to the fees. The produced charge information is added to the program information. The CM positional information includes broadcast time of each CM, as shown in Fig. 33.

[0083] Fig. 44 is a block diagram showing a receiving apparatus 100 in accordance with the eighth embodiment of the present invention. When an ordinary program is recorded, the receiving apparatus 100 operates in the following manner.

① A receiving apparatus 1 receives the program information. A program information storing section 2 stores the received program information. A program guide display section 6 displays a program list for recording reservation with reference to the program information (refer to Fig. 34). The CM positional information received by the receiving section 1 is stored in a CM positional information storing section 18.

② The viewer makes a decision as to recording of the CM (refer to Fig. 35). According to the disclosed example, a recording reservation is made for the "Alarm clock TV!" program with associated CMs.

③ The receiving apparatus refers to the program information and the CM positional information. Fig. 33 shows a CM positional information table including the CMs having broadcast times scheduled in the time slot of the "Alarm clock TV!" program.

④ A program recording section 19 starts recording the program.

⑤ When the viewer selects the "recording with CM" in the procedure ②, the program recording section 19 records the CMs together with the "Alarm clock TV!" program.

When the viewer selects the "recording with no CM" in the procedure ②, the program recording section 19 skips the CMs with reference to the CM

positional information to record only the "Alarm clock TV!" program.

⑥ A charging section 21 calculates a charge amount with reference to the selection of the viewer and recording fees described in the program information. Timing or method of the charging procedure may be different in each charging system adopted. According to the example disclosed in Fig. 35, the charging section 21 charges 20 yen according to the fees shown in Fig. 32 as the viewer selected the "recording with CM" of the "Alarm clock TV!" program.

[0084] Although Fig. 33 shows the table of CM positional information, it is possible to use a code indicating that the CM is presently broadcasted. This code can be broadcasted as part of the audio and video data of the CM (for example, by describing it in a user data region according to the standard of MPEG, in the case of digital broadcasting services). It is preferable that the receiving apparatus receives such a code and performs the recording and non-recording processing of the CM according to the received code.

[0085] As described in the foregoing description, the eighth embodiment sets a plurality of charge ranks according to the recording or viewing type of the CM. Thus, it becomes possible to set a variety of charge ranks according to advertisement activities of the broadcasters. For example, the fee for the recording with no CM is expensive because no advertisement income is expected. Furthermore, such a charge system will effectively prevent the viewers from cutting the CM thoughtlessly by utilizing the CM positional information.

Ninth Embodiment

[0086] A ninth embodiment is explained based on a system handling a sub program of commercial (CM) in the same manner as in the seventh embodiment. Fig. 45 is a block diagram showing the arrangement of a program information producing apparatus 500 in accordance with the ninth embodiment of the present invention. The program information producing apparatus 500 comprises a program information producing section 50 producing program information, a CM positional information producing section 57 producing CM positional information, and a transmitting section 52 transmitting both of the program information and the CM positional information produced from the program information producing section 50 and the CM positional information producing section 57. Fig. 36 shows an event information table including program name, broadcast time, CM playback frequency and others. A CM playback frequency information producing section 58 produces the CM playback frequency. The produced CM playback frequency is added to the program information. As shown in Fig. 33, the CM positional information includes broadcast time of each CM.

[0087] Fig. 46 is a block diagram showing a receiving apparatus 100 in accordance with the ninth embodiment of the present invention. When the viewer requests the recording of the "Alarm clock TV!" program, the receiving apparatus 100 operates in the following manner.

① A program recording section 19 records the program described in the program information stored in a program information storing section 2. A CM recording section 22 records a CM described in the CM positional information stored in a CM positional information storing section 18.

② Meanwhile, a playback order table producing section 26 produces a program recording management table (Fig. 37), a CM recording management table (Fig. 38), as well as a program CM playback order table (Fig. 39) and a CM playback frequency table (Fig. 40). The method of allocating a recording program file ID shown in the program recording management table (Fig. 37) and a recording CM file ID shown in the CM recording management table (Fig. 38) are dependent on the filing system of the storing apparatus in the receiving apparatus 100. Each stored program or CM is reproducible in response to entry of the corresponding file ID. The mandatory playback frequency shown in the CM playback frequency table (Fig. 40) agrees with the mandatory CM playback frequency described in the program information (Fig. 36).

③ A program playback section 25 reproduces recorded programs and CMs in accordance with an order described in the program CM playback order table (Fig. 39). In the CM playback frequency table (Fig. 40), the present playback frequency is incremented in response to each playback operation of the program, with an initial number 0 given when the table is produced. When the present playback frequency becomes identical with the mandatory playback frequency, the CM is no longer reproduced (i.e., skipped) during the playback of the program.

[0088] Although the above-described embodiment uses the table including the CM positional information, it is possible to use a code indicating that the CM is presently broadcasted. This code can be broadcasted as part of the audio and video data of the CM (for example, by describing it in a user data region according to the standard of MPEG, in the case of digital broadcasting services). It is preferable that the receiving apparatus receives such a code and performs the recording and non-recording processing of the CM according to the received code.

[0089] According to the above-described embodiment, the program information producing apparatus produces the program information including the mandatory CM playback frequency. However, the mandatory

CM playback frequency may be a predetermined value which may be directly input into the receiving apparatus.

[0090] As described in the foregoing description, this embodiment surely performs the playback of the CM predetermined times. Thus, the broadcasters can provide the guaranteed CM playback system for each sponsor.

Tenth Embodiment

[0091] A tenth embodiment is explained based on a system handling a sub program of commercial (CM) in the same manner as in the ninth embodiment. The program information producing apparatus 500 of the ninth embodiment is directly applicable to the tenth embodiment.

[0092] Fig. 47 is a block diagram showing a receiving apparatus 100 in accordance with the tenth embodiment of the present invention. The receiving apparatus 100 operates in the following manner.

① A program CM recording section 28 records a program described in the program information stored in a program information storing section 2 (as one stream).

② In the same manner as the procedure ①, a program CM management table producing section 30 produces a program CM recording management table (Fig. 42), a CM position table (Fig. 41) and a CM playback frequency table (Fig. 40) with reference to the CM positional information stored in the CM positional information storing section 18. In the tables, the meaning of file IDs and the mandatory playback frequency are defined in the same manner as in the ninth embodiment.

③ A program playback section 25 reproduces a recorded program with reference to the program CM recording management table (Fig. 42). In the CM playback frequency table (Fig. 40), the present playback frequency is incremented in response to each playback operation of the program, with an initial number 0 given when the table is produced. When the present playback frequency becomes identical with the mandatory playback frequency, the CM is no longer reproduced (i.e., skipped) with reference to the CM position table (Fig. 41) during the playback of the program.

[0093] When the program information includes "playback fee with CM fast forwarding", "viewing fee with CM", and "viewing fee with CM skip" as shown in Fig. 32. In the receiving apparatus 100 (Fig. 46) of the ninth embodiment and the receiving apparatus 100 (Fig. 47) of the tenth embodiment, the charging section 21 calculates a charge amount with reference to the viewing pattern.

[0094] According to the above-described eighth to tenth embodiments, the receiving section of the receiv-

ing apparatus receives the program information and CM positional information. However, it is possible to use other appropriate media, such as FD and DVD, for storing and transmitting the program information and others, or it may be possible to use a terminal having the capability of storing the same.

[0095] In the explanation of the above-described eighth to tenth embodiments, operation of the broadcast center is omitted. However, it should be understood that the program information is produced from the program schedule information sent from the audio/video and program information organizing system 1002 shown in Fig. 73. If the audio/video and program information organizing system is not provided, it will be possible to produce the program information from the program schedule information in the program information producing apparatus.

[0096] According to the above-described embodiment, the program information producing apparatus produces the program information including the mandatory CM playback frequency. However, the mandatory CM playback frequency may be a predetermined value which may be directly input into the receiving apparatus.

[0097] As described in the foregoing description, this embodiment surely performs the playback of the CM predetermined times. Thus, the broadcasters can provide the guaranteed CM playback system for each sponsor.

Eleventh Embodiment

[0098] Fig. 50 is a block diagram showing a program information producing apparatus 500 in accordance with the eleventh embodiment. The program information producing apparatus 500 comprises a message timing information producing section 59 which produces message timing information. The message timing information determines a timing according to which the receiving apparatus outputs a message about the next program. The produced message timing information is added to the next program information. A next program information producing section 60 produces next program information during the broadcasting of a present program. The next program information includes information about a program to be tuned in to during or after the broadcasting of the present program. The produced next program information is added to the program information. A program information producing section 50 produces a table of the next program information shown in Fig. 49 and sends it to a transmitting section 52. Regarding a method of multiplexing the transmitting data, the digital broadcasting services will realize a multiplexed data transmission by describing the data in a user data region according to the standard of MPEG or by utilizing a section-type table.

[0099] Fig. 51 is a block diagram showing a receiving apparatus 100 in accordance with the eleventh embodiment. The receiving apparatus 100 comprises a receiv-

ing section 1 which receives the next program information as well as the present program information during the display of the present program. A message output section 32 outputs a message shown in Fig. 48 on the screen of a TV monitor 10 during or after the broadcasting of the present program. This message is for asking whether the viewer selects the next program or continues watching the same program. When the viewer selects the next program, a tuning switch section 33 tunes in to the next program described in the next program information. A program display section 8 produces the audio and video data of the next program.

[0100] When the next program information includes a message timing as shown in Fig. 49, the message output section 32 outputs the message at the designated timing.

[0101] Adding the message timing to the next program information as shown in Fig. 49 is effective to control the display timing of the message so as not to overlap with important announcement or advertisement provided in the program.

[0102] Although the example shown in Fig. 48 shows only one program, it is possible to display a plurality of next programs. In this case, the screen display of Fig. 48 will be slightly modified to allow the viewer to select a favorite program among the plurality of programs.

[0103] Describing the next program information is effective for the broadcasters selectively using a plurality of channels for broadcasting a same program, such as a highschool baseball telecast. For example, the next program information can be effectively used when the program is switched from the present channel to other channel due to organizing reasons of the programs, or when the broadcaster asks viewers to transfer to the other channel upon completion of the scheduled broadcast time in the present channel.

[0104] The present digital broadcast services generally define theoretical channels to let the viewers watch the same channel continuously. In the display of program guide, the program guide generally includes a plurality of channels, each channel including a plurality of time slots. However, if the concept of such channels is eliminated, or when the number of programs simultaneously broadcasted is varied, it will be difficult for the viewers to smoothly select a next program after finishing the viewing of the present program. In other words, it will be difficult for the receiving apparatus to appropriately tune in to the next program. However, the above-described eleventh embodiment solves these problems by providing the next program information. Thus, the viewer can smoothly select the next program. The receiving apparatus will have no dead time during which no channel is tuned.

[0105] The above-described eleventh embodiment can be applied to an emergency broadcasting. Although it may be possible to use network information describing reference information for an emergency broadcasting program, the eleventh embodiment makes it possible to

set the reference information for the emergency broadcasting for each program. Thus, for the broadcasters who utilize no network information, it becomes possible to perform the emergency broadcasting based on their own judgement.

[0106] The above-described eleventh embodiment uses a screen display for letting the viewers know the message that the next program information is added to the program information. However, in the playback of a recorded program, such a message may not be displayed to perform the automatic tuning in to the next program. Alternatively, it may be possible to arrange the setting to ask the viewers as to whether they accept the automatic tuning function or not.

[0107] According to the above-described eleventh embodiment, the receiving section of the receiving apparatus receives the program information. However, it is possible to use other appropriate media, such as FD and DVD, for storing and transmitting the program information, or it may be possible to use a terminal having the capability of storing the same.

[0108] In the explanation of the above-described eleventh embodiment, operation of the broadcast center is omitted. However, it should be understood that the program information is produced from the program schedule information sent from the audio/video and program information organizing system 1002 shown in Fig. 73. If the audio/video and program information organizing system is not provided, it will be possible to produce the program information from the program schedule information in the program information producing apparatus.

Twelfth Embodiment

[0109] A twelfth embodiment provides a program guide whose content is variable in accordance with viewer's selection of a channel. Fig. 52 is a block diagram showing the arrangement of a program information producing apparatus 500 in accordance with the twelfth embodiment of the present invention. The program information producing apparatus 500 comprises a program information producing section 50 produces common program information for all of broadcasters as well as uncommon program information relating to exclusive channels provided by individual broadcasters. The produced program information is sent to a transmitting section 52. The common program information includes a table including overall data of the network (Fig. 60) or a table indicating the correlation between a broadcaster and channels (Fig. 61). The common program information is included in every TS (transport stream) signal. The uncommon program information includes a program broadcast schedule of each channel (Fig. 62) or channel information (Fig. 63). The uncommon program information is included in only the TS signal of a service channel of a related broadcaster (Fig. 64).

[0110] Fig. 53 is a receiving apparatus 100 in accord-

ance with the twelfth embodiment of the present invention. The receiving apparatus 100 comprises a program information processing section 5 refers to the tuning condition of a tuning section 11 in response to viewer's request of displaying the program guide. A program guide display section 6 displays a program guide including the uncommon program information with reference to the TS signal of the channel selected by the viewer. For example, it is assumed that the viewer watches a program broadcasted in the channel of service_ID=4 (which is included in the TS signal of TS_ID=30 according to Fig. 64). From the correlation table of Fig. 61, it is understood that the viewer watches a program of "Ryukun TV" which corresponds to a "B" station in Fig. 64. Thus, if the viewer requests the display of program guide, the program guide display section 6 displays a program guide including program information of the specified channel of service_ID=4 as well as program information of other channels of service_ID=5, 6, 7, 8, and 9 with reference to the information of Figs. 62 and 63.

[0111] With this arrangement, it becomes possible to switch the content of the displayed program guide in accordance with the viewing condition of the viewer (i.e., in response to viewer's selection of a channel in this embodiment). Furthermore, producing the correlation table according to this embodiment makes it possible to display a program guide of another channel having a different transport stream but provided by the same broadcaster.

Thirteenth Embodiment

[0112] A thirteenth embodiment provides a system wherein the program information includes related data of a program to be reserved by a receiving apparatus. More specifically, a program (e.g., program number 10) includes the program information related data as well as audio and video data. The program information related data is produced by a relevant information producing section 51 of the program information producing apparatus 500 shown in Fig. 52. The produced program information related data is transmitted in the form of MPEG2 private section data. Fig. 54 shows an example of a program component arrangement (PMT) including the MPEG2 private section data. This example includes component PIDs, according to which 102 is allocated to the program information related data. Fig. 55 shows details of the program information related data which is referred to according to the component PID=102.

[0113] According to the program information related data shown in Fig. 55, the data type is "program reservation." The display start time is 10:10 on December 4, 1997. The display end time is 10:12 on December 4, 1997. The display position (center point) is (300, 200) in the given coordinates. A program guide display section 6 of the receiving apparatus shown in Fig. 53 displays a "reservation" icon with its center point positioned at

(300, 200) from 10:10 to 10:12 on December 4, 1997, according to the program information related data. In this case, the receiving apparatus stores a bit map video of the reservation icon beforehand and displays the icon at the designated coordinate position.

[0114] When the viewer selects the "reservation" icon, a reservation managing section 7 memorizes the program identifying information of a reserved program (service identifier: 100, program identifier: 10,000, and program start time: 1:05 on December 5) with reference to the transmitted program information related data.

[0115] As apparent from the foregoing description, this embodiment transmits the program information related data in synchronism with the broadcasting of a program. This program information related data is used for reserving the program. Thus, it becomes possible to realize both the program guide display and the program reservation in accordance with the viewer's watching program. Furthermore, it is possible to include the control data of the program guide display in the program information related data. This allows the center system to precisely control the display of program guide.

Fourteenth Embodiment

[0116] A fourteenth embodiment provides a system wherein the program information includes instruction of the program guide display and a list of channels to be selected by a receiving apparatus. More specifically, a channel not broadcasting programs transmits the program information related data including the program guide display data. The program information related data is produced by the relevant information producing section 51 of the program information producing apparatus 500 shown in Fig. 52. The program component arrangement used in this case is shown in Fig. 56, wherein no audio and video components are included. Details of the program information related data is shown in Fig. 57. The referring method of the program information related data is substantially identical with that described in the thirteenth embodiment.

[0117] When the receiving apparatus 100 shown in Fig. 53 tunes in to this channel, no video is displayed since this channel broadcasts no programs. According to the program information related data shown in Fig. 57, the data type is "program guide display." The display start time is 10:10 on December 4, 1997. The display end time is 10:12 on December 4, 1997. The display position (center point) is (300, 200) in the given coordinates. The program guide display section 6 of the receiving apparatus shown in Fig. 53 displays a program guide with its center point positioned at (300, 200) from 10:10 to 10:12 on December 4, 1997, according to the program information related data. In this case, the program guide display section 6 determines channels to be displayed with reference to a channel list in the program information related data. More specifically, the program guide is for channels 100, 101, 102 and 103

described in the channel list of Fig. 57. This arrangement allows each viewer to select a program from the displayed program guide to watch other program actually broadcasted.

[0118] As apparent from the foregoing description, the fourteenth embodiment produces the program information related data including the instruction of the program guide display and the list of channels to be selected by the receiving apparatus. This allows the viewers to select a program among channels relating to the viewer's watching program.

Fifteenth Embodiment

[0119] A fifteenth embodiment of the present invention provides a system wherein promotion is feasible by using a plurality of videos and sounds. In the program information producing apparatus 500 shown in Fig. 52, the relevant information producing section 51 produces program information related data including video display data of other program. Fig. 58 shows a program component arrangement of the program information related data. Fig. 59 shows details of the program information related data. The referring method of the program information related data is substantially identical with that described in the thirteenth embodiment, although the data type shown in Fig. 59 is "other channel video display."

[0120] When the viewer selects the channel of program number 10, the program output section 12 of the receiving apparatus 100 (Fig. 53) produces audio data of the program component identified by PID=101 as well as a plurality of videos of all channels described in the channel list of the program information related data identified by PID=102. Accordingly, the viewer can watch the plurality of videos of the programs while listening promotion sounds. The tuning section 11 of the receiving apparatus 100 periodically change the tuning frequency to receive the plurality of programs successively. The program output section 12 produces a combined video of the received programs, thereby displaying the plurality of programs at a time.

[0121] According to the above-described thirteenth to fifteenth embodiments, the program information related data are transmitted in the form of the private section data according to the standard of MPEG2. However, it is possible to use other type of data transmission using a table or a script.

[0122] Furthermore, according to the above-described twelfth to fifteenth embodiments, the receiving section of the receiving apparatus receives the program information. However, it is possible to use other appropriate media, such as FD and DVD, for storing and transmitting the program information, or it may be possible to use a terminal having the capability of storing the same.

[0123] In the explanation of the above-described twelfth to fifteenth embodiments, operation of the broad-

cast center is omitted. However, it should be understood that the program information is produced from the program schedule information sent from the audio/video and program information organizing system 1002 shown in Fig. 73. If the audio/video and program information organizing system is not provided, it will be possible to produce the program information from the program schedule information in the program information producing apparatus.

[0124] As apparent from the foregoing description, the fifteenth embodiment produces the program information related data including the list of channels to be promoted as well as the instruction of the program display in synchronism with the broadcasting of a program. This makes it possible to realize the promotion using a display screen consisting of dissected videos of the programs of other channels.

Sixteenth Embodiment

[0125] A sixteenth embodiment of the present invention provides a system producing both analog BS information and digital BS information. Fig. 70 is a block diagram showing the arrangement of a program information producing apparatus 500 in accordance with the sixteenth embodiment of the present invention. In the program information producing apparatus 500, a link information producing section 61 produces analog program information involving program link information describing the relationship to a relevant digital program. For example, an analog program may be identical with a digital program in program name and broadcast time but different in viewing fee. In such a case, the different portion is described as information other than program link information. Figs. 65 and 66 show examples of digital BS program information and analog BS program information, respectively. For example, in the analog BS program information shown in Fig. 66, an analog BS program identified by program_ID=230 is linked with a digital BS program having program_ID=30 which corresponds to the "Alarm lock TV!" program shown in the digital BS program information shown in Fig. 65. The analog BS program (program_ID=230) is identical with the digital BS program (program_ID=30) in program name, broadcast name and program duration but different in viewing fee. Thus, the viewing fee is described in the analog BS program information shown in Fig. 66. In other words, when the same information is described in the digital BS program information, the analog BS program information simply refers to it. Two kinds of program information data are transmitted through the digital BS service.

[0126] Fig. 71 is a block diagram showing the arrangement of a receiving apparatus 100 in accordance with the sixteenth embodiment of the present invention. In the receiving apparatus 100, a program guide display section 6 displays a program guide of a linked channel with reference to the received program information. Fig.

67 shows details of the displayed program guide, wherein the program name "Alarm clock TV!" is displayed based on the information from the digital BS program information. It is possible for the program guide display section 6 to display both an analog BS program guide and a digital BS program guide simultaneously on the screen, as shown in Fig. 72.

[0127] When the viewer selects the "Alarm clock TV!" from the program guide shown in Fig. 67 and watches the same served from the analog BS, a message output section 32 displays a message that the same program is broadcasted through the digital BS (using a small space on the screen as shown in Fig. 68). It is possible to display the viewing fees different between the digital BS and the analog BS as such information is obtainable from the program information. When the viewer selects "stay on analog", the message disappears from the screen and the analog BS program is continuously displayed. When the viewer selects "transfer to digital", a tuning switch section 33 tunes in to the designated channel with reference to the digital BS program guide.

[0128] As a modification of the above-described sixteenth embodiment, it may be possible to skip the display of the message and automatically tune in to the designated channel. According to the above-described sixteenth embodiment, the linked programs are scheduled in the same time slot. It is however possible to link any programs scheduled in different time slots. In this case, the broadcast time is included in the program link information.

[0129] The linked channels may be completely identical in their content. Fig. 69 shows the channel link information used when the program organization is identical, which is produced by the link information producing section 61. Fig. 69 shows that an analog channel of BS 30 has the same content as that of the linked channel (service_ID=300) of the digital BS. When the viewer requests the display of the analog BS program guide, the program guide display section 6 displays the analog BS program guide with reference to the program information of the digital BS in the same manner as the display of the linked program.

[0130] Furthermore, according to the above-described sixteenth embodiment, the receiving section of the receiving apparatus receives the program information. However, it is possible to use other appropriate media, such as FD and DVD, for storing and transmitting the program information, or it may be possible to use a terminal having the capability of storing the same.

[0131] In the explanation of the above-described sixteenth embodiment, operation of the broadcast center is omitted. However, it should be understood that the program information is produced from the program schedule information sent from the audio/video and program information organizing system 1002 shown in Fig. 73. If the audio/video and program information organizing system is not provided, it will be possible to produce the program information from the program schedule infor-

mation in the program information producing apparatus.

[0132] As described above, the sixteenth embodiment produces the program information describing the linkage or correlation between different networks. Thus, the sixteenth embodiment allows the viewers to check the difference between the linked channels in their program contents, fees and qualities when the same program is broadcasted in both analog and digital channels through the simulcast service.

[0133] As apparent from the foregoing description, the first embodiment of the present invention makes it possible to display a program guide including a personal channel consisting of the programs selected according to the search condition given from the viewer. This arrangement is helpful for the viewers in selecting favorable programs from numerous programs receivable by his/her receiving apparatus. Furthermore, as an independent channel is assigned to the searched programs, the viewers can continuously watch the favorable programs without changing the channel. Providing the display of program fees is effective to facilitate the program selection. Thus, the first embodiment of the present invention improves the conspicuousness of the program guide.

[0134] Furthermore, the second embodiment of the present invention allows the viewer to modify the program guide through a manual operation when the program guide does not include any favorable program. Thus, it becomes possible to reschedule the personal channel.

[0135] Furthermore, the third embodiment of the present invention allows the viewers to select a preferable program schedule among a plurality of routes considering the charging fee or viewer's personal schedule, for example, when the viewer has preferable programs in mind but has not yet fixed the schedule. Thus, it becomes possible to reduce the burden of the viewers in the selection of programs.

[0136] Furthermore, the fourth embodiment of the present invention stores the advertisement stream in the receiving apparatus. Thus, it becomes possible to display the sponsor's statement or CM together with the program guide on the screen of the TV monitor.

[0137] Furthermore, the fifth embodiment of the present invention reduces the size of the program video in response to a viewer's request and displaying the program guide in a given space on the screen. Thus, the viewers can watch the program guide without interrupting the viewing of the program.

[0138] Furthermore, the sixth embodiment of the present invention makes it possible to provide the program guide capable of displaying a sponsor name paired with a program name. This is preferable in that displayed program guide does not substantially reduce the viewer's chance of watching sponsor name or sponsor information.

[0139] Furthermore, the seventh embodiment of the present invention substantially expands the applicability

of CM by simply adding the CM information to the CM broadcasting system. The stored CM information is reusable when the program guide is displayed, increasing the chance of CM reproduction. This is basically acceptable for the sponsors. Thus, coexistence of the program guide and CM is appropriately realized.

[0140] Furthermore, the eighth embodiment of the present invention sets a plurality of charge ranks according to the recording or viewing type of the CM. Thus, it becomes possible to set a variety of charge ranks according to advertisement activities of the broadcasters. For example, the fee for the recording with no CM is expensive because no advertisement income is expected. Furthermore, such a charge system will effectively prevent the viewers from cutting the CM thoughtlessly by utilizing the CM positional information.

[0141] Furthermore, the ninth and tenth embodiments of the present invention surely perform the playback of the CM predetermined times. Thus, the broadcasters can provide the guaranteed CM playback system for each sponsor.

[0142] Furthermore, the eleventh embodiment of the present invention produces the next program information to be tuned in to during or after the broadcasting of the present program. The produced next program information is displayed on the screen of the receiving apparatus so as to encourage the viewer to select a favorable one.

[0143] Furthermore, the twelfth embodiment of the present invention makes it possible to switch the content of the displayed program guide in accordance with the viewing condition of the viewer. Furthermore, producing the correlation table according to this embodiment makes it possible to display a program guide of another channel having a different transport stream but provided by the same broadcaster.

[0144] Furthermore, the thirteenth embodiment of the present invention transmits the program information related data in synchronism with the broadcasting of a program. This program information related data is used for reserving the program. Thus, it becomes possible to realize both the program guide display and the program reservation in accordance with the viewer's watching program. Furthermore, it is possible to include the control data of the program guide display in the program information related data. This allows the center system to precisely control the display of program guide.

[0145] Furthermore, the fourteenth embodiment of the present invention produces the program information related data including the instruction of the program guide display and the list of channels to be selected by the receiving apparatus. This allows the viewers to select a program among channels relating to the viewer's watching program.

[0146] Furthermore, the fifteenth embodiment of the present invention produces the program information related data including the list of channels to be promoted as well as the instruction of the program display

in synchronism with the broadcasting of a program. This makes it possible to realize the promotion using a display screen consisting of dissected videos of the programs of other channels.

[0147] Furthermore, the sixteenth embodiment of the present invention produces the program information describing the linkage or correlation between different networks. Thus, the sixteenth embodiment allows the viewers to check the difference between the linked channels in their program contents, fees and qualities when the same program is broadcasted in both analog and digital channels through the simulcast service.

[0148] This invention may be embodied in several forms without departing from the spirit of essential characteristics thereof. The present embodiments as described are therefore intended to be only illustrative and not restrictive, since the scope of the invention is defined by the appended claims rather than by the description preceding them. All changes that fall within the metes and bounds of the claims, or equivalents of such metes and bounds, are therefore intended to be embraced by the claims.

Claims

1. A receiving apparatus comprising:

a program information storing section (2) for storing program information including program name, program start time, and channel discriminating information;
a program information search section (4) for searching said program information stored in said program information storing section according to designated search conditions and for producing personalized program information resulting from the search; and
a program guide display section (6) for displaying a program guide including a personal channel including said personalized program information.

2. The receiving apparatus in accordance with claim 1, further comprising a tuning switch section (33) for tuning in to a program of said personal channel displayed by said program guide display section in response to selection of said personal channel listed on said program guide.

3. The receiving apparatus in accordance with claim 1 or 2, wherein said program information search section (4) searches said program information by the order of broadcast time of program, and performs scheduling of programs so that broadcast times do not overlap with each other, thereby producing said personalized program information resulting from the search.

4. The receiving apparatus in accordance with claim 3, wherein said program guide display section (6) displays a charged sum amount of pay-per-view programs when said personalized program information involves any pay-per-view program. 5
5. The receiving apparatus in accordance with claim 3 or 4, wherein said program information search section (4) produces a plurality groups of program information when a plurality of schedules are found as a result of performed search. 10
6. The receiving apparatus in accordance with claim 3 or 4, wherein said program information search section (4) produces the personalized program information always including a designated program. 15
7. The receiving apparatus in accordance with any one of claims 1 through 6, further comprising a receiving section (1) for receiving said program name, said program start time, and said channel discriminating information. 20
8. A program information producing apparatus comprising: 25
 - a program related information producing section (53) for producing program related information; and
 - means (500) for producing both program information and said program related information or producing program information including said program related information. 30
9. The program information producing apparatus in accordance with claim 8, wherein said program related information producing section (53) produces advertisement information broadcasted together with a related program. 35
10. The program information producing apparatus in accordance with claim 9, wherein said advertisement information includes reference information for at least one advertisement stream. 40
11. A program information producing method comprising a step of producing both program information and program related information or producing program information including said program related information. 45
12. The program information producing method in accordance with claim 11, wherein said program related information includes advertisement information. 50
13. The program information producing method in accordance with claim 12, wherein said advertisement information includes reference information for at least one advertisement stream. 55
14. A receiving apparatus comprising:
 - an advertisement information storing section (13) for storing advertisement information; and
 - a display section (6, 14) for outputting an advertisement stream to a limited space on a screen when a program guide is displayed on said screen, said advertisement stream being referred to by said advertisement information.
15. The receiving apparatus in accordance with claim 14, further comprising an advertisement stream storing apparatus (62) for storing the advertisement stream.
16. The receiving apparatus in accordance with claim 14 or 15, further comprising a receiving section (1) for receiving at least one of said advertisement information and said advertisement stream.
17. The receiving apparatus in accordance with any one of claims 14 to 16, wherein said display section (6, 14) selectively changes the content of the advertisement stream with reference to viewer's personal data, including at least one of residence, sex and age, or with reference to a program type.
18. A receiving apparatus comprising a display section (6, 14) for displaying video of a broadcasted program in a limited space on a screen when a program guide is displayed on said screen.
19. A receiving apparatus comprising a program guide display section (6) outputs the advertisement information to a limited space on a screen displaying a program guide so as to correspond to a related program listed on the program guide.
20. A program information producing apparatus comprising:
 - a program information producing section (50) for producing ordinary program information; and
 - a sub program information producing section (55) for producing sub program information including sub program identification data and sub program position data.
21. A program information producing method comprising a step of producing sub program information including sub program identification data and sub program position data.
22. A program information producing apparatus comprising:

prising:

a program information producing section (50) for producing program information including sub program reference information for a sub program relating to a program. 5

23. A program information producing method comprising a step of producing program information including sub program reference information for a sub program relating to a program. 10

24. A receiving apparatus comprising:

a sub program search section (17) for accessing sub programs to search a relevant sub program with reference to sub program reference information of a currently viewed program; and a program guide display section (6) for displaying said relevant sub program by using a limited space of a screen when a program guide is displayed on said screen. 15 20

25. The receiving apparatus in accordance with claim 24, further comprising a sub program information storing section (16) for storing sub program position data and sub program identification data, which are used to discriminate the position of said sub program and record said sub program. 25 30

26. The receiving apparatus in accordance with claim 25, further comprising a receiving section (1) for receiving said sub program position data and said sub program identification data. 35

27. The receiving apparatus in accordance with claim 25, wherein said sub program recording managing section (15) discriminates the position of said sub program with reference to said sub program position data and records the sub program together with said sub program identification data. 40

28. A program information producing apparatus comprising a charge information producing section (56) for adding program recording fees to program information, said program recording fees including a plurality of ranks classified in accordance with a recording or viewing type of a sub program. 45

29. A program information producing method comprising a step of adding program recording fees to program information, said program recording fees including a plurality of ranks classified in accordance with a recording or viewing type of a sub program. 50 55

30. A receiving apparatus comprising:

a program recording section (19) for recording a sub program together with an ordinary program when a recording request includes both of said ordinary and sub programs and for recording only said ordinary program by skipping said sub program when said recording request includes only said ordinary program; and

a charging section (21) for differentiating a recording fee in accordance with the inclusion of said sub program in the recording of said ordinary program.

31. A program information producing apparatus comprising:

a program information producing section (50) for producing ordinary program information; and a sub program playback frequency information producing section (58) for producing program information describing a mandatory playback frequency of a recorded ordinary program performed without skipping a sub program.

32. A program information producing method comprising a step of producing program information describing a mandatory playback frequency of a recorded ordinary program performed without skipping a sub program.

33. A receiving apparatus comprising:

a program recording section (19) for recording an ordinary program and a sub program separately; a playback order table producing section (26) for producing an ordinary/sub program playback order table describing a playback order of said ordinary program and said sub program; and a program playback section (25) for reproducing said ordinary program and said sub program in accordance with said ordinary/sub program playback order table.

34. The receiving apparatus in accordance with claim 33, wherein said program playback section (25) reproduces said ordinary program by skipping said sub program after an actual playback frequency of said ordinary program exceeds a mandatory playback frequency.

35. A receiving apparatus comprising:

a sub program position table producing section (30) for producing a sub program position table describing the position of a sub program in an

- ordinary program;
 a program playback section (25) for reproducing both said ordinary program and said sub program when a playback request includes both of said ordinary and sub programs and for reproducing only said ordinary program by skipping said sub program with reference to said sub program position table when said playback request includes only said ordinary program.
36. The receiving apparatus in accordance with claim 35, further comprising a charging section (21) for differentiating a playback fee in accordance with the inclusion of said sub program in the playback of said ordinary program.
37. A program information producing apparatus comprising:
 a next program information producing section (60) for producing program information of a next program to be tuned in to during or after the broadcasting of a present program.
38. A program information producing method comprising a step of producing program information of a next program to be tuned in to during or after the broadcasting of a present program.
39. A receiving apparatus comprising:
 a tuning switch section (33) for tuning in to a next program in accordance with next program information during or after the broadcasting of a present program.
40. The receiving apparatus in accordance with claim 39, further comprising a message output section (32) for outputting a message about a next program to be tuned in to during or after the broadcasting of a present program, said message being outputted prior to the tuning in to said next program.
41. The program information producing apparatus in accordance with claim 37, further comprising a message timing information producing section (59) for producing message timing information designating an output timing of a message about a next program.
42. A program information producing method comprising a step of producing message timing information designating an output timing of a message about a next program.
43. The receiving apparatus in accordance with claim 39, further comprising a message output section (32) for outputting a message about a next program to be tuned in to during or after the broadcasting of a present program, said message being outputted at a timing designated by message timing information.
44. A receiving apparatus characterized in that a program guide, or content of said program guide, or a design of said program guide is differentiated in accordance with a presently broadcasted program.
45. A program information producing apparatus comprising:
 a program information producing section (50) for producing ordinary program information; and
 a relevant information producing section (51) for producing program information related data as one component of a program, said program information related data being used for display and control of the program information, thereby transmitting the program information in accordance with the content of the program.
46. The program information producing apparatus in accordance with claim 45, wherein said program information related data produced by said relevant information producing section (51) includes at least one selected from the group consisting of display start time, display end time, and display position.
47. The program information producing apparatus in accordance with claim 45 or 46, wherein the program information related data produced by said relevant information producing section (51) includes instruction for a program guide display.
48. The program information producing apparatus in accordance with any one of claims 45 to 47, wherein the program information related data produced by said relevant information producing section (51) includes a list of channels to be displayed.
49. A program information producing method including a step of producing program information related data as one component of a program, said program information related data being used for display and control of the program information.
50. The program information producing method in accordance with claim 49, wherein said program information related data includes at least one selected from the group consisting of display start time, display end time, and display position.
51. The program information producing apparatus in accordance with claim 49, wherein the program

information related data includes a list of channels to be displayed.

52. A receiving apparatus comprising:

a receiving section (1) for receiving program information related data including a list of channels to be displayed; and
a program guide display section (6) for displaying a program guide exclusively including designated channels.

53. The program information producing apparatus in accordance with claim 45 or 46, wherein the program information related data produced by said relevant information producing section (51) is used for displaying other channel.

54. A program information producing method comprising a step of producing program information related data used for displaying other channel.

55. The program information producing apparatus in accordance with claim 53, wherein the program information related data produced by said relevant information producing section (51) includes a list of channels to be displayed.

56. The program information producing method in accordance with claim 54, wherein said program information related data includes a list of channels to be displayed.

57. A receiving apparatus comprising:

a receiving section (1) for receiving program information related data including a list of channels to be displayed; and
a program guide display section (6) for displaying a program guide including at least designated channels.

58. A receiving apparatus comprising:

a receiving section (1) for receiving program information related data including a list of channels to be displayed; and
a program display section (8) for displaying videos of all of designated channels on a screen.

59. The program information producing apparatus in accordance with claim 46 or 47, wherein said program information related data produced by said relevant information producing section (51) includes reservation information of a related program.

60. The program information producing method in accordance with claim 49, wherein said program

information related data includes reservation information of a related program.

61. The program information producing apparatus in accordance with claim 59, wherein said program information related data produced by said relevant information producing section (51) includes a program identifier of a related program.

62. The program information producing method in accordance with claim 60, wherein said program information related data includes a program identifier of a related program.

63. A receiving apparatus comprising:

a receiving section (1) for receiving program information related data including a program identifier of a related program; and
a program display section (8) for displaying a message for a reservation of a program.

64. A program information producing apparatus comprising:

a program information producing section (50) for producing ordinary program information; and
a link information producing section (61) for producing program link information or channel link information indicating that a subjective program or channel is identical in content with a program or channel described in program information of a channel group transmitted by using a different method.

65. A program information producing method comprising a step of producing program link information or channel link information indicating that a subjective program or channel is identical in content with a program or channel described in program information of a channel group transmitted by using a different method.

66. A receiving apparatus comprising:

a receiving section (1) for receiving program information including program link information or channel link information; and
a program guide display section (6) for displaying program information of a program or channel having the same content with reference to said program link information or channel link information.

67. The receiving apparatus in accordance with claim 66, further comprising a message output section (32) for displaying a message notifying existence of

said program or channel having the same content.

68. The receiving apparatus in accordance with claim 66 or 67, further comprising a tuning switch section (33) for tuning in to said program or channel having the same. 5

10

15

20

25

30

35

40

45

50

55


FIG. 1

FIG. 2




FIG. 3

SERVICE NAME "NIHON MARU"	
PROGRAM NO.	101
NAME	①
TIME.	13:00—14:00
CONTENTS
FEE	¥ 100
PROGRAM NO.	102
NAME	②
TIME.	14:00—15:30
CONTENTS
FEE	¥ 500
_____	103
_____	③

	¥ 250
	⋮
SERVICE NAME "FUJI SUN"	
PROGRAM NO.	201
NAME	④
TIME.	13:00—14:00
CONTENTS
FEE	¥ 300
PROGRAM NO.	202
NAME	⑤
TIME.	14:00—15:00
CONTENTS
FEE	¥ 50
_____	203
_____	⑥

	¥ 100
	⋮
SERVICE NAME "MY CHANNEL"	
PROGRAM NO.	101
NAME	①
TIME.	13:00—14:00
CONTENTS
FEE	¥ 100
PROGRAM NO.	202
NAME	⑤
TIME.	14:00—15:00
CONTENTS
FEE	¥ 50
	⋮

FIG. 4

CHANNEL NAME	NIHON MARU	FUJI SUN	ASAHI	MY CHANNEL
13:00	PROGRAM ①	④	⑧	①
14:00	②	⑤		⑤
15:00		⑨	⑩	
16:00	③	⑥	⑩	
17:00		⑦	⑦	

FIG. 6

CHANNEL NAME	NIHON MARU	FUJI SUN	ASAHI	MY CHANNEL 1	MY CHANNEL 2
13:00	①	④	⑧	①	①
14:00	②	⑤		⑤	⑤
15:00		⑨	⑩	⑩	⑥
16:00	③	⑥	⑩	⑩	⑥
17:00		⑦	⑪	⑦	⑦

FIG. 5




FIG. 7




FIG. 8

CHANNEL NAME	NIHON MARU	FUJI SUN	ASAHI	MY CHANNEL
13:00	①	④	⑧	①
14:00	②	⑤		⑤
15:00		⑥	⑨	⑩
16:00	③		⑩	
17:00	⑦	⑪	⑪	

FIG. 9







TODAY'S RECOMMENDED ROUTE				
	CHANNEL 30	CHANNEL 31	CHANNEL 32	CHANNEL 33
3		Morning news wide	Medical information -influenza-	Doctor's job 2
4	Together with dad		World children's song	Today's & Tomorrow's cooking
5	Let's play in Finnish !	I love orange		Tomorrow's & next day's cooking -meuniere of Mamakari fish-
6	We have no past			Reversed morning & noon
7	Song show "Dumbo"	7AM news		
8		Traffic information Metropolitan hwy	Guide to A++	Tigers Fight I
9	Let's go to park I		Guide to X++	Stretch exercise

FIG. 10

TODAY'S RECOMMENDED ROUTE				
	CHANNEL 30	CHANNEL 31	CHANNEL 32	CHANNEL 33
3	Alarm clock (Open)	Morning news wide	Medical information -influenza-	Doctor's job 2
4	Together with dad	Special news broadcast -Kanto 300-	World children's song	Today's & Tomorrow's cooking
5	Let's play in Finnish I			Tomorrow's & next day's cooking -meuniere of Mamakari fish-
6	We have no past	I love orange	Music from the -Kanto 300-	
7	Song show "Dumbo"	7AM news	City of Kanto	Reversed morning & noon
8	Alarm clock (Close)	Traffic information Metropolitan Hwy	Guide to A++	Tigers Fight I
Total Fee 800 yen				

FIG. 11

SELECT A TIME SHIFT PROGRAM TO BE VIEWED	
PROGRAM NAME	
START	
IN-HOUSE MAIL	
GUIDE TO KANTO	
POWDERED TEA MILK & MILK COCOA	
STRETCH EXERCISE & DUMBBELL EXERCISE	
HOW TO MAKE A CALENDER & HOW TO TRASH	
YEAR-END CLEANING, NEW YEAR'S COOKING, WOMEN'S BUSY DAY	
START SCHEDULING	CANCEL

FIG. 12






TODAY'S RECOMMENDED ROUTE				
	CHANNEL 30	CHANNEL 31	CHANNEL 32	CHANNEL 33
3		Morning news wide	Medical information -influenza-	Doctor's job 2
4	Together with dad		World children's song	Guide to C++ (800 yen)
5	Let's play in Chinese !			Tomorrow's & next day's cooking -mauniere of Mamakari fish-
6	We have no past	I love orange		
7	Song show "Dumbo"	7AM news		Reversed morning & noon
8		Traffic information Metropolitan hwy	Guide to A++	Tigers Fight !
				Total Fee 800 yen
Previous Route		Next Route		

FIG. 13







TODAY'S RECOMMENDED ROUTE				
	CHANNEL 30	CHANNEL 31	CHANNEL 32	CHANNEL 33
3		Morning news wide	Medical information -influenza-	Doctor's job 2
4	Together with dad	Japanese traditional children's song (50 yen)	World children's song	
5				Tomorrow's & next day's cooking -mauniere of Mamakari fish-
6	We have no past	I love orange		
7	Song show "Dumbo"	7AM news (0 yen)	Guide to C++ (700 yen)	Reversed morning & noon
8		Traffic information Metropolitan hwy	Guide to A++	Tigers Fight !
				Total Fee 900 yen
Previous Route		Next Route		

FIG. 14

SEARCH RESULT ID	1	2	3
CHANNEL ID	30	30	...
PROGRAM NO.	100	100	...
NAME	Alarm clock TV !	Alarm clock TV !	...
TIME	3:00—4:00	3:00—4:00	...
FEE	0 YEN	0 YEN	...
CHANNEL ID	31	33	...
PROGRAM NO.	130	140	...
NAME	Japanese traditional children's song	Guide to C++	...
TIME	4:00—6:00	4:00—5:00	...
FEE	50 YEN	800 YEN	...
CHANNEL ID	32	30	...
PROGRAM NO.	1200	1201	...
NAME	WR · World weather	Let's play in Chinese !	...
TIME	6:00—7:00	5:00—6:00	...
FEE	20 YEN	50 YEN	...
CHANNEL ID	32	32	...
PROGRAM NO.	1201	1200	...
NAME	Guide to C++	WR · World weather	...
TIME	7:00—8:00	6:00—7:00	...
FEE	700 YEN	20 YEN	...
CHANNEL ID	30	31	...
PROGRAM NO.	103	230	...
NAME	Let's go to zoo !	7AM News	...
TIME	8:00—9:00	7:00—8:00	...
FEE	30 YEN	0 YEN	...
CHANNEL ID	...	30	...
PROGRAM NO.	...	103	...
NAME	...	Let's go to zoo !	...
TIME	...	8:00—9:00	...
FEE	...	30 YEN	...

FIG. 15

PROGRAM NO.	2				
ES TYPE	VIDEO	AUDIO	AUDIO	VIDEO	DATA
PROGRAM/ ADVERTISEMENT STREAM	PROGRAM	PROGRAM	ADVER- TISEMENT STREAM	ADVER- TISEMENT STREAM	ADVER- TISEMENT STREAM
ES PACKET ID	122	455	788	200	199

FIG. 16

NOW DECODING VIDEO (ES PACKET ID : 122)
AND AUDIO (ES PACKET ID : 455)

FIG. 17



TODAY'S PROGRAM GUIDE			
	CHANNEL 30	CHANNEL 31	CHANNEL 32
3	Alarm clock TV I	Morning news wide	Medical information -influenza-
4	Together with dad	Japanese traditional children's song	World children's song
5	Let's play in Finnish I		
6	We have no past	I love orange	Weather forecast World weather
7	Song show "Dumbo"	7AM news	Guide to C++
8	Let's go to zoo I	Traffic information Metropolitan hwy	Guide to A++
9	Let's go to park I	Traffic information Tomei hwy	Guide to X++

Good Morning !



A

FIG. 18



DISPLAY SPONSOR NEWS
(C) BY SELECTION OF
"CM INFORMATION" OF B




FIG. 19




FIG. 20

EVENT INFORMATION

SERVICE_ID	30				
TS_ID	130				
PROGRAM_ID	30	35	40	42	...
PROGRAM NAME	Alarm clock TV I	Together with dad	Let's play in Finnish I	We have no past	...
START TIME	97/11/14 3:00	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	...
DURATION	60 min	60 min	60 min	60 min	...
SPONSOR ID	1	2	5	10	...
NAME	Umeshita Electric	ABCDE	Asatte TV	Mainichi gokuraku	...

FIG. 21




FIG. 22

TODAY'S PROGRAM GUIDE				
	CHANNEL 30	CHANNEL 31	CHANNEL 32	CHANNEL 33
3	Alarm clock TV !	Morning news wide	Medical information --influenza--	Doctor's job 2
	Umeshita Electric	Oimo Bank	Koala Motors	White Bear Dep.
4	Together with dad	Japanese traditional children's song	World children's song	Today's & Tomorrow's cooking
	ABCDE			Sunsun Publisher
5	Let's play in Finnish !			Tomorrow's & next day's cooking --meuniere of Mamakari fish--
	Asatte TV	Orange park	Tomato Const.	
6	We have no past	I love orange	Weather forecast World weather	
	Mainichi Gokuraku	Yaoya	Tanuki Udon	ABC data

FIG. 23**EVENT INFORMATION**

SERVICE_ID	30				
TS_ID	130				
PROGRAM_ID	30	35	40	42	...
PROGRAM NAME	Alarm clock TV !	Together with dad	Let's play in Finnish !	We have no past	...
START TIME	97/11/14 3:00	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	...
DURATION	60 min	60 min	60 min	60 min	...
CM_ID	135	20	1	9	...

FIG. 24**CM INFORMATION**

SERVICE_ID	30				
TS_ID	130				
CM_ID	130	135	140	142	...
CM NAME	Thanks	Goodby	Morning	Sir	...
START TIME	97/11/13 13:01	97/11/13 13:15	97/11/13 13:30	97/11/13 13:47	...
DURATION	1 min	0.5 min	0.3 min	1 min	...

FIG. 25**CM RECORDING MANAGEMENT TABLE**

CM_ID	130	135	140	142	...
CM NAME	Thanks	Goodby	Morning	Sir	...
File ID	100	567	12	654	...
DURATION	1 min	0.5 min	0.3 min	1 min	...

FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32**EIT (EVENT INFORMATION TABLE)**

SERVICE_ID		30				
TS_ID		130				
PROGRAM_ID		30	35	40	42	...
PROGRAM NAME		Alarm clock TV !	Together with dad	Let's play in Finnish !	We have no past	...
START TIME		97/11/14 3:00	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	...
DURATION		60 min	60 min	60 min	60 min	...
RECORD- ING FEE	WITH CM	20 yen	0 yen	0 yen	150 yen	...
	CM SKIP	200 yen	100 yen	40 yen	500 yen	...
PLAYBACK FEE WITH CM FAST FORWARDING		50 yen	30 yen	35 yen	400 yen	...
VIEWING FEE WITH CM		10 yen	0 yen	0 yen	100 yen	...
FEE WITH CM SKIP		190 yen	90 yen	20 yen	300 yen	...

FIG. 33**CM POSITIONAL INFORMATION**

SERVICE_ID		30				
TS_ID		130				
CM_ID		130	135	140	142	...
CM NAME		Thanks	Goodby	Morning	Sir	...
START TIME		97/11/14 3:01	97/11/14 3:15	97/11/14 3:30	97/11/14 3:47	...
DURATION		1 min	0.5 min	0.3 min	1 min	...

FIG. 34

SELECT A PROGRAM TO BE RECORDING RESERVED

PROGRAM NAME
Let's go to zoo !
Together with dad
Let's play in Finnish !
We have no past
Song show "Dumbo"
Let's go to zoo !
Let's go to park

FIG. 35

ALARM CLOCK TV !

CHANNEL : 30
TIME : 97/11/14 3:00-4:00
ACTORS : LEONARDO COSTNER KEVIN DICAPRIO

RECORDING
RESERVATION

RECORDING WITH CM
¥ 200

CANCEL

RECORDING WITH NO CM
¥ 200

FIG. 36

EIT (EVENT INFORMATION TABLE)

SERVICE_ID	30				
TS_ID	130				
PROGRAM_ID	30	35	40	42	...
PROGRAM NAME	Alarm clock TV !	Together with dad	Let's play in Finnish !	We have no past	...
START TIME	97/11/14 3:00	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	...
DURATION	60 min	60 min	60 min	60 min	...
CM PLAYBACK	20 times	3 times	1 time	10 times	...

FIG. 37

PROGRAM RECORDING MANAGEMENT TABLE

PROGRAM_ID	30				
PROGRAM NAME	Alarm clock TV !				
RECORDING PROGRAM FILE ID	500	300	200	99	...
DURATION	1 min	13 min	14.5 min	16.7 min	...

FIG. 38

CM RECORDING MANAGEMENT TABLE

CM_ID	130	135	140	142	...
CM NAME	Thanks	Goodby	Morning	Sir	...
RECORDING CM FILE ID	502	301	199	165	...
DURATION	1 min	0.5 min	0.3 min	1 min	...

FIG. 39

PROGRAM CM PLAYBACK ORDER TABLE

PROGRAM_ID	30				
PROGRAM NAME	Alarm clock TV !				
PLAYBACK ORDER	1	2	3	4	...
PROGRAM/CM	PROGRAM	CM	PROGRAM	CM	
PROGRAM_ID/ CM_ID	30	130	30	135	...
FILE ID OF RECORDING PROGRAM/CM	500	300	502	301	...

FIG. 40

CM PLAYBACK FREQUENCY TABLE

PROGRAM_ID	30	...
PROGRAM NAME	Alarm clock TV !	...
PRESENT PLAYBACK FREQUENCY	15	...
MANDATORY PLAYBACK FREQUENCY	20	...

FIG. 41

CM POSITION TABLE

PROGRAM_ID	30				
CM_ID	130	135	140	142	...
CM NAME	Thanks	Goodby	Morning	Sir	...
CM POSITION	20 min	30 min	30.5 min	48 min	...
DURATION	1 min	0.5 min	0.3 min	1 min	...

FIG. 42**PROGRAM CM RECORDING MANAGEMENT TABLE**

PROGRAM_ID	30	...
PROGRAM NAME	Alarm clock TV !	...
RECORDING PROGRAM FILE ID	1500	...
DURATION	60 min	...


FIG. 43

FIG. 44




FIG. 45




FIG. 46




FIG. 47





FIG. 48**FIG. 49****NEXT PROGRAM INFORMATION**

SERVICE_ID	5
TS_ID	20
PROGRAM_ID	50
PROGRAM NAME	Noon news
START TIME	97/12/02 12:15
DURATION	45 min
MESSAGE TIMING	10 SEC BEFORE PROGRAM END


FIG. 50




FIG. 51*FIG. 52*

FIG. 53**FIG. 54**

PROGRAM NO.	10		
COMPONENT TYPE	VIDEO	AUDIO	MPEG2 PRIVATE SECTION
PID	100	101	102

FIG. 55

PROGRAM INFORMATION RELATED DATA TYPE	PROGRAM RESERVATION	
DISPLAY START TIME	DEC. 4, 1997, 10:10	
DISPLAY END TIME	DEC. 4, 1997, 10:12	
DISPLAY POSITION (COORDINATE OF CENTER)	(300, 200)	
PROGRAM IDENTIFYING INFORMATION	SERVICE IDENTIFIER	100
	PROGRAM IDENTIFIER	10000
	PROGRAM START TIME	DEC. 5, 01:05

FIG. 56

PROGRAM NO.	10
COMPONENT TYPE	MPEG2 PRIVATE SECTION
PID	102

FIG. 57

PROGRAM INFORMATION RELATED DATA TYPE	PROGRAM GUIDE DISPLAY
DISPLAY START TIME	DEC. 4, 1997, 11:10
DISPLAY END TIME	DEC. 4, 1997, 11:12
DISPLAY POSITION (CENTRAL POSITION)	(300, 200)
CHANNEL LIST	100 101 102 103
PROGRAM START TIME	DEC. 4, 1997, 11:00
PROGRAM TABLE TIME DURATION	3 HOURS

FIG. 58

PROGRAM NO.	10	
COMPONENT TYPE	AUDIO	MPEG2 PRIVATE SECTION
PID	101	102

FIG. 59

PROGRAM INFORMATION RELATED DATA TYPE	OTHER CHANNEL VIDEO DISPLAY
DISPLAY START TIME	DEC. 4, 1997, 11:10
DISPLAY END TIME	DEC. 4, 1997, 11:12
DISPLAY POSITION (CENTRAL POSITION)	(300, 200)
CHANNEL LIST	100 101 102 103

FIG. 60

NETWORK_ID	5		
TS_ID	20	30	40
TUNING INFORMATION	23.5	50.1	67.8

FIG. 61

BROADCASTER IDENTIFIER	20					
BROADCASTER NAME	RYUKUN TELEVISION					
TS_ID	30			40		
CHANNEL IDENTIFIER	4	5	6	7	8	9

FIG. 62

SERVICE_ID	4				
TS_ID	30				
PROGRAM_ID	30	35	40	42	89
PROGRAM NAME	Morning weather	Monocycle	Morning news	Morning vegetable	Get up !
START TIME	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	97/11/14 7:00	97/11/14 8:00
PROGRAM DURATION	60 min	60 min	60 min	60 min	60 min

FIG. 63

TS_ID	30		
SERVICE_ID	4	5	6
SERVICE NAME	Movie channel	Kid's TV	News
SERVICE TYPE	NVOD	Digital TV	FM Radio

TS_ID	40		
SERVICE_ID	7	8	9
SERVICE NAME	Sports ch	Wife's TV	Cartoon kingdom
SERVICE TYPE	Digital TV	Digital TV	Digital TV

FIG. 64




FIG. 65

DIGITAL BS PROGRAM INFORMATION

SERVICE_ID	300				
TS_ID	130				
PROGRAM_ID	30	35	40	42	...
PROGRAM NAME	Alarm clock TV !	Together with dad	Let's play in Finnish !	We have no past	...
START TIME	97/11/14 3:00	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	...
DURATION	60 min	60 min	60 min	60 min	...
FEE	200 yen	0 yen	500 yen	30 yen	...

FIG. 66

ANALOG BS PROGRAM INFORMATION

CHANNEL NO.	BS30				
TUNING INFO.	130.55				
PROGRAM_ID	230	235	240	242	...
PROGRAM NAME	(Nothing)	Together with grandpa	Let's play in Chinese !	We have no future	...
START TIME	(Nothing)	97/11/14 4:00	97/11/14 5:00	97/11/14 6:00	...
DURATION	(Nothing)	60 min	60 min	60 min	...
REFERRED DIGITAL BS PROGRAM_ID	30	(Nothing)	(Nothing)	(Nothing)	...
FEE	50 yen	0 yen	0 yen	0 yen	...

FIG. 67

ANALOG BS PROGRAM GUIDE				
	BS 30	BS 31	BS 32	BS 33
3	Alarm clock TV !	Morning news wide	Medical information -influenza-	Doctor's job 2
4	Together with grandpa	Japanese traditional children's song	World children's song	Today's & Tomorrow's cooking
5	Let's play in Chinese !			Tomorrow's & next day's cooking -meuniere of Mamakari fish-
6	We have no future	I love orange	Weather forecast World weather	Reversed morning & noon
7	Song show "Dumbo"	7AM news	Guide to C++	
8	Let's go to zoo !	Traffic information Metropolitan hwy	Guide to A++	Tigers Fight !
9	Let's go to park !	Traffic information Tomei hwy	Guide to X++	Stretch exercise

FIG. 68




FIG. 69

ANALOG BS PROGRAM INFORMATION

CHANNEL NO.	BS30
TUNING INFORMATION	130.55
REFERRED DIGITAL BS SERVICE_ID	300

FIG. 70




FIG. 71




FIG. 72

PROGRAM GUIDE			
ANALOG BS		DIGITAL BS	
	BS 30		BS 31
3	Alarm clock TV !		Morning news wide
4	Together with grandpa		Japanese traditional children's song
5	Let's play in Chinese !		
6	We have no future		I love orange
7	Song show "Dumbo"		7AM news
8	Let's go to zoo !		Traffic information Metropolitan hwy
9	Let's go to park !		Traffic information Tomei hwy
	300		310
3	Alarm clock TV !		Good morning wide
4	Together with dad		World shoes
5	Let's play in Finnish !		
6	We have no past		X mas song
7	Song show "Dumbo"		Personal computer class
8	Let's go to zoo !		Weather forecast Kanto area
9	Let's go to park !		Weather forecast Tokai area

FIG. 73

